

SPECIFICATION




| | | | |
|----------------|----------------------|----------|------------|
| LOA | | 15.55 m | 51' |
| Hull length | | 14.93 m | 49' |
| LWL | | 13.54 m | 44' 5" |
| Beam | | 4.75 m | 15' 7" |
| Draft | | | |
| shallow keel | | 1.98 m | 6' 6" |
| L-keel, medium | | 2.40 m | 7' 10" |
| Displacement | | | |
| shallow keel | approx. | 15.10 t | 33,290 lbs |
| L-keel, medium | | 14.70 t | 32,408 lbs |
| Engine Diesel | | | |
| standard | approx. | 80.00 PS | 80.00 hp |
| Fuel tank | approx. | 280 l | 74 gal |
| Fresh water | approx. | 630 l | 166 gal |
| CE Certificate | A - 12 | | |
| Design | judel / vroljik & co | | |
| Interior | HanseYachts Design | | |


| | | | |
|----------------------|---------|-----------------------|-------------|
| Mast length above WL | approx. | 22.05 m | 72' 4" |
| Total sail area | approx. | 118.00 m ² | 1,270 sq ft |
| Main sail | | | |
| standard | approx. | 66.50 m ² | 716 sq ft |
| furling | approx. | 61.00 m ² | 657 sq ft |
| Self-tacking jib | approx. | 51.50 m ² | 554 sq ft |
| Gennaker | approx. | 200.00 m ² | 2,153 sq ft |
| Reacher | approx. | 87.00 m ² | 936 sq ft |

508


All measurements/figures are approximate. Errors and omissions excepted. Specification and material can be changed without notice. Valid from 2020.03.13.




Standard



Option



Option



Option

HULL

- 6 hull windows (3 each side)
- GRP hull, isophthalic gelcoat, colour: Signal White (RAL9003), 1st layer vinyl ester resin and balsa sandwich laminat
- Waterline and cove line, isophthalic gelcoat, colour: Dark Grey (RAL 7043)

KEEL

- L-keel, cast iron, draft: 2.40 m
- GRP rudder with seawater resistant aluminium shaft and self-aligning bearings

LAYOUT & INTERIOR

- A1: Sail locker with extensive storage space
- B1: Master cabin with island double berth, storage space and a head with separate shower stall
- C1: Saloon with full functional galley on port and dining area on port and lounge area with chart table on stb
- D1: Cabin with double bunk bed on port with storage space
- E2: 2 aft cabins with double berth, storage space and separate head
- 3-burner gas stove with oven, waste bin, 12 V fridge approx. 130 l, double stainless steel sink with mixing tab
- Interior furniture in high quality marine plywood, satin varnish
- Hanse companionway closing system
- Saloon table, fixed
- Worktop in galley - Black Quartz

WOOD (FURNITURE, FLOORBOARD)

- Furniture - Mahogany Style, Satin Varnish
- Cupboards fronts in wood colour
- Floorboard - Acacia

UPHOLSTERY

- Mattresses for all berths
- Upholstery - Monte Carlo, colour: Cream

DECK & OUTSIDE EQUIPMENT

- GRP deck with antislip surface, isophthalic gelcoat, colour: Signal White (RAL 9003), 1st layer vinyl ester resin with balsa sandwich core. 1 cockpit locker on port and stb, stern locker port and stb, stowage for running rigging at helm position, anchor locker at bow.

- Teak on cockpit benches
- Teak on bathing platform
- Twin wheel steering system with emergency tiller
- 2 cockpit tables, stainless steel with teak tops
- Pulpit and pushpit, stainless steel
- Railing, incl. stanchions and stainless steel wire
- Covered halyards and control lines lead to cockpit helm position, organizers and jammers, 4 retractable mooring cleats, handrail on coach roof, bow anchor fitting with teak step
- 2 LEWMAR 55 ST EVO manual halyard winches
- Bathing platform, manual fold-out with swimming ladder
- Anchor and forestay fitting
- Self tacking jib system
- Mainsheet system
- 8 large and 4 small deck hatches - openable, anchor locker hatch, stowage on coach roof with acrylic glass hatch
- Fixed coach roof side windows
- 6 deck coach roof windows - acrylic glass with portlights next to companionway, portlights in cockpit side for aft cabins

RIG & SAILS

- Rig, anodized aluminium, deck stepped, with kicker, standing and running rigging and 2 reefs
- Manual jib furler
- ELVSTRÖM Dacron sails - full battened, main and jib

NAVIGATION & INSTRUMENTS

- Illuminated compass at each helm
- Navigation lights - LED

PROPULSION

- Fuel tank, approx. 280 l
- Engine (Diesel, approx. 80 hp) - saildrive, 2-blade fix propeller

EQUIPMENT

- 12 V and 230 V electric system with 230 V shore power and sockets in cabins and heads
- AGM battery set, capacity: 1x 90 Ah + 2x 160 Ah AGM
- Country Version: EU / AUS
- Battery charger 70 A
- Manual toilet with sea water flush - cabin layout B1

- Manual toilet with sea water flush - cabin layout E2 (only with XL5002)
- LPG gas system, stowage for 1 gas bottle
- Blackwater system (appr. 145 l) with deck extraction and seacock for head, electric and manual bilge pump
- Freshwater system with electric pump and 20 l hot water, heated also by main engine
- Fresh water tank, appr. 450 l

ACCESSORIES

- Mast steps

SHIPPING & TRANSPORT

- CE - Certificate cat. A - 12
- Owners manual
- EC - Type Examination Certificate